

## Safety Data Sheet according to WHS Regulations

Printing date 03.06.2019

Version number 3

Revision: 03.06.2019

### 1 Identification

- **Product identifier**
- **Trade name:** SHS13 FINE METALLIC MIXING TINT
- **Article number:** SHS13
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Payless Services Pty Ltd  
103 Eldridge Road Bankstown 2200 NSW  
Australia  
Importer Business Phone numbers:  
+61 2 9 708 5698 Fax +61 2 9 796 2357
- **Further information obtainable from:** Product safety department
- **Emergency telephone number:**  
Emergency US – 1-800-535-5053 Outside US - +1-352-323-3500 InfoTrac Contract 89244

### 2 Hazard(s) Identification

- **Classification of the substance or mixture**



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.



GHS08 health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

- **Label elements**

- **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Hazard pictograms**



GHS02 GHS08

(Contd. on page 2)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.06.2019

Version number 3

Revision: 03.06.2019

**Trade name: SHS13 FINE METALLIC MIXING TINT**

(Contd. of page 1)

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*Solvent naphtha (petroleum), light arom.*
- **Hazard statements**  
*Flammable liquid and vapour.*  
*In contact with water releases flammable gases which may ignite spontaneously.*  
*May cause genetic defects.*  
*May cause cancer.*
- **Precautionary statements**  
*Obtain special instructions before use.*  
*Do not handle until all safety precautions have been read and understood.*  
*Keep away from heat/sparks/open flames/hot surfaces. No smoking.*  
*Keep away from any possible contact with water, because of violent reaction and possible flash fire.*  
*Handle and store contents under inert gas. Protect from moisture.*  
*Keep container tightly closed.*  
*Ground/bond container and receiving equipment.*  
*Use explosion-proof electrical/ventilating/lighting equipment.*  
*Use only non-sparking tools.*  
*Take precautionary measures against static discharge.*  
*Wear protective gloves/protective clothing/eye protection/face protection.*  
*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*  
*IF exposed or concerned: Get medical advice/attention.*  
*Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.*  
*In case of fire: Use for extinction: CO2, sand, extinguishing powder.*  
*Store in a dry place. Store in a closed container.*  
*Store in a well-ventilated place. Keep cool.*  
*Store locked up.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** *Mixture of substances listed below with nonhazardous additions.*

- **Dangerous components:**

7429-90-5	aluminium powder (stabilised)	10-25%
123-86-4	<i>n</i> -butyl acetate	2.5-10%
110-43-0	heptan-2-one	2.5-10%
64742-95-6	Solvent naphtha (petroleum), light arom.	2.5-10%
64742-47-8	Distillates (petroleum), hydrotreated light	2.5-10%
1330-20-7	xylene	2.5-10%
100-41-4	ethylbenzene	≤2.5%

- **Additional information:** *For the wording of the listed hazard phrases refer to section 16.*

-AU

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.06.2019

Version number 3

Revision: 03.06.2019

**Trade name: SHS13 FINE METALLIC MIXING TINT**

(Contd. of page 2)

### 4 First Aid Measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Extinguishing powder. Do not use water.  
CO2. Do not use water.  
Sand. Do not use water.  
Special powder for metal fires. Do not use water.  
CO2, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.

(Contd. on page 4)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.06.2019

Version number 3

Revision: 03.06.2019

**Trade name: SHS13 FINE METALLIC MIXING TINT**

(Contd. of page 3)

- **Information about fire - and explosion protection:**  
 Keep ignition sources away - Do not smoke.  
 Protect against electrostatic charges.  
 Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
 Keep container tightly sealed.  
 Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

#### 123-86-4 n-butyl acetate

NES Short-term value: 950 mg/m<sup>3</sup>, 200 ppm  
 Long-term value: 713 mg/m<sup>3</sup>, 150 ppm

WES Short-term value: 950 mg/m<sup>3</sup>, 200 ppm  
 Long-term value: 713 mg/m<sup>3</sup>, 150 ppm

#### 110-43-0 heptan-2-one

NES Long-term value: 233 mg/m<sup>3</sup>, 50 ppm

WES Long-term value: 233 mg/m<sup>3</sup>, 50 ppm

#### 1330-20-7 xylene

NES Short-term value: 655 mg/m<sup>3</sup>, 150 ppm  
 Long-term value: 350 mg/m<sup>3</sup>, 80 ppm

WES Short-term value: 655 mg/m<sup>3</sup>, 150 ppm  
 Long-term value: 350 mg/m<sup>3</sup>, 80 ppm

#### 100-41-4 ethylbenzene

NES Short-term value: 543 mg/m<sup>3</sup>, 125 ppm  
 Long-term value: 434 mg/m<sup>3</sup>, 100 ppm

WES Short-term value: 543 mg/m<sup>3</sup>, 125 ppm  
 Long-term value: 434 mg/m<sup>3</sup>, 100 ppm

- **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Store protective clothing separately.
- **Respiratory protection:**  
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.06.2019

Version number 3

Revision: 03.06.2019

**Trade name: SHS13 FINE METALLIC MIXING TINT**

(Contd. of page 4)

**Protection of hands:**


Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**


Tightly sealed goggles

## 9 Physical and Chemical Properties

**Information on basic physical and chemical properties**
**General Information**
**Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	Silver-coloured
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.

**pH-value:** Not determined.

**Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	124 °C

**Flash point:** 27 °C

**Flammability (solid, gas):** Not applicable.

**Ignition temperature:** 370 °C

**Decomposition temperature:** Not determined.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

**Explosion limits:**

**Lower:** 1.2 Vol %

(Contd. on page 6)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.06.2019

Version number 3

Revision: 03.06.2019

Trade name: SHS13 FINE METALLIC MIXING TINT

(Contd. of page 5)

<b>Upper:</b>	7.5 Vol %
· <b>Vapour pressure at 20 °C:</b>	10.7 hPa
· <b>Density at 20 °C:</b>	1.13 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Fully miscible.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	27.1 %
<b>VOC (EC)</b>	39.80 %
· <b>Solids content:</b>	60.2 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Contact with water releases flammable gases.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

**64742-95-6 Solvent naphtha (petroleum), light arom.**

Oral	LD50	>6,800 mg/kg (rat)
Dermal	LD50	>3,400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** No irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
The product can cause inheritable damage.

(Contd. on page 7)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.06.2019

Version number 3

Revision: 03.06.2019

**Trade name: SHS13 FINE METALLIC MIXING TINT**

(Contd. of page 6)

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**  
Muta. 1B, Carc. 1B


### 12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### 14 Transport information

- |   |                      |
|---|----------------------|
| · <b>UN-Number</b>  |                      |
| · <b>ADG, IMDG, IATA</b>  | UN1263               |
| · <b>UN proper shipping name</b>  |                      |
| · <b>ADG</b>  | 1263 PAINT           |
| · <b>IMDG, IATA</b>   | PAINT                |
| · <b>Transport hazard class(es)</b>   |                      |
| · <b>ADG, IMDG, IATA</b>  |                      |
|  |                      |
| · <b>Class</b>  | 3 Flammable liquids. |
| · <b>Label</b>  | 3                    |
| · <b>Packing group</b>  |                      |
| · <b>ADG, IMDG, IATA</b>  | III                  |

(Contd. on page 8)

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.06.2019

Version number 3

Revision: 03.06.2019

Trade name: SHS13 FINE METALLIC MIXING TINT

(Contd. of page 7)

· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Warning: Flammable liquids.
· <b>EMS Number:</b>	F-E, S-E
· <b>Stowage Category</b>	A
· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1263 PAINT, 3, III

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Chemical Substances**

123-86-4	<i>n</i> -butyl acetate
110-43-0	heptan-2-one
64742-95-6	Solvent naphtha (petroleum), light arom.
64742-47-8	Distillates (petroleum), hydrotreated light
1330-20-7	xylene
108-65-6	2-methoxy-1-methylethyl acetate
7664-38-2	phosphoric acid
100-41-4	ethylbenzene

· **Standard for the Uniform Scheduling of Medicines and Poisons**

1330-20-7	xylene	S6
7664-38-2	phosphoric acid	S5, S6

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

Solvent naphtha (petroleum), light arom.

(Contd. on page 9)

AU



# Safety Data Sheet

## according to WHS Regulations

Printing date 03.06.2019

Version number 3

Revision: 03.06.2019

**Trade name: SHS13 FINE METALLIC MIXING TINT**

(Contd. of page 8)

- **Hazard statements**

*Flammable liquid and vapour.*

*In contact with water releases flammable gases which may ignite spontaneously.*

*May cause genetic defects.*

*May cause cancer.*

- **Precautionary statements**

*Obtain special instructions before use.*

*Do not handle until all safety precautions have been read and understood.*

*Keep away from heat/sparks/open flames/hot surfaces. No smoking.*

*Keep away from any possible contact with water, because of violent reaction and possible flash fire.*

*Handle and store contents under inert gas. Protect from moisture.*

*Keep container tightly closed.*

*Ground/bond container and receiving equipment.*

*Use explosion-proof electrical/ventilating/lighting equipment.*

*Use only non-sparking tools.*

*Take precautionary measures against static discharge.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF exposed or concerned: Get medical advice/attention.*

*Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.*

*In case of fire: Use for extinction: CO<sub>2</sub>, sand, extinguishing powder.*

*Store in a dry place. Store in a closed container.*

*Store in a well-ventilated place. Keep cool.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **Seveso category**

*O2 Substances and mixtures which in contact with water emit flammable gases*

*P5c FLAMMABLE LIQUIDS*

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

- **National regulations:**

- **Additional classification according to Decree on Hazardous Materials, Annex II:**

*Carcinogenic hazardous material group III (dangerous).*

- **Information about limitation of use:**

*Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.*

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Environment protection department.

- **Contact:** Mr. Roberts

- **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

(Contd. on page 10)

-AU

# Safety Data Sheet

## according to WHS Regulations

Printing date 03.06.2019

Version number 3

Revision: 03.06.2019

**Trade name: SHS13 FINE METALLIC MIXING TINT**

(Contd. of page 9)

*ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**Flam. Liq. 3: Flammable liquids – Category 3**Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1**Muta. 1B: Germ cell mutagenicity – Category 1B**Carc. 1B: Carcinogenicity – Category 1B***\* Data compared to the previous version altered.**

AU