

Page 1/12

Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2024

Reviewed on 02/27/2024

1 Identification · Product identifier Trade name: LC3030LV MS LV CLEAR · Article number: LC3030LV · Details of the supplier of the safety data sheet · Manufacturer/Supplier: GlobalStar is a product of Lusid Technologies Inc. 4725 S Camp Kearns Road Kearns, UT 84118 (801) 966-5300 info@lusidtechnologies.com · Information department: Product safety department Emergency telephone number: 24 Hrs Emergency Contact: **INFOTRAC** 1-800-535-5053 2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. GHS07 Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 GHS08

(Contd. on page 2)

Printing date 02/27/2024

Reviewed on 02/27/2024

Signal word Danger	(Contd. of page 1)
Hazard-determining components of labeling:	
4-chloro-alpha,alpha,alpha-trifluorotoluene	
acetone	
n-butyl acetate	
Hazard statements	
Highly flammable liquid and vapor.	
Causes skin irritation.	
Causes serious eye irritation.	
Suspected of causing cancer.	
May cause drowsiness or dizziness.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with	water/snower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	. if an and a set
If in eyes: Rinse cautiously with water for several minutes. Remove contact lense to do. Continuo rinsing	es, îl present and easy
to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/internatio	nal regulations.
Classification system:	•
NFPA ratings (scale 0 - 4)	
$\frac{1}{3}$ Health = 2	
$2 0 Fire = 3 \\ Reactivity = 0$	
Keacilvity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH 2 Health = 2	
FIRE 3 Fire = 3	
REACTIVITY O Reactivity = 0	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable.	
	(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2024

Reviewed on 02/27/2024

Trade name: LC3030LV MS LV CLEAR

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	25-50%
67-64-1	acetone	10-25%
123-86-4	n-butyl acetate	2.5-10%
110-43-0	heptan-2-one	2.5-10%

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling.

(Contd. on page 4)

USA

Printing date 02/27/2024

Reviewed on 02/27/2024

Trade name: LC3030LV MS LV CLEAR

See Sectio	n 8 for information on personal protection equipment.	(Contd. of page
	n 13 for disposal information. Action Criteria for Chemicals	
PAC-1:	Action Criteria for Chemicals	
67-64-1	acetone	200 ppm
123-86-4	n-butyl acetate	5 ppm
	heptan-2-one	150 ppm
1330-20-7	xylene	130 ppm
868-77-9	2-hydroxyethyl methacrylate	1.9 mg/m
100-41-4	ethylbenzene	33 ppm
77-58-7	dibutyltin dilaurate	1.1 mg/m
122-99-6	2-phenoxyethanol	1.5 ppm
103-11-7	2-ethylhexyl acrylate	15 ppm
108-88-3	toluene	67 ppm
PAC-2:		
67-64-1	acetone	3200* ppn
123-86-4	n-butyl acetate	200 ppm
110-43-0	heptan-2-one	670 ppm
1330-20-7	xylene	920* ppm
868-77-9	2-hydroxyethyl methacrylate	21 mg/m ³
100-41-4	ethylbenzene	1100* ppn
77-58-7	dibutyltin dilaurate	8 mg/m³
122-99-6	2-phenoxyethanol	16 ppm
103-11-7	2-ethylhexyl acrylate	120 ppm
108-88-3	toluene	560 ppm
PAC-3:		· · · ·
67-64-1	acetone	5700* ppm
123-86-4	n-butyl acetate	3000* ppm
110-43-0	heptan-2-one	4000* ppm
1330-20-7	xylene	2500* ppm
868-77-9	2-hydroxyethyl methacrylate	1,000 mg/m
100-41-4	ethylbenzene	1800* ppm
77-58-7	dibutyltin dilaurate	48 mg/m³
122-99-6	2-phenoxyethanol	97 ppm
103-11-7	2-ethylhexyl acrylate	150 ppm
108-88-3	toluene	3700* ppm

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

(Contd. on page 5)

⁻ USA -

Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2024

Reviewed on 02/27/2024

Keeµ Prote Keeµ	rmation about protection against explosions and fires: o ignition sources away - Do not smoke. ect against electrostatic charges. o respiratory protective device available.	(Contd. of page 4)
 Stor Require Information Furt Keep Store 	ditions for safe storage, including any incompatibilities age: uirements to be met by storerooms and receptacles: Store in a cool location. rmation about storage in one common storage facility: Not required. her information about storage conditions: o receptacle tightly sealed. e in cool, dry conditions in well sealed receptacles. cific end use(s) No further relevant information available.	
8 Exp	osure controls/personal protection	
• Con • Com The reco	itional information about design of technical systems: No further data; see sec trol parameters aponents with limit values that require monitoring at the workplace: following constituents are the only constituents of the product which have a Pl mmended exposure limit. is time, the remaining constituent has no known exposure limits.	
67-6	4-1 acetone	
PEL	Long-term value: 2400 mg/m³, 1000 ppm	
REL	Long-term value: 590 mg/m³, 250 ppm	
TLV	Short-term value: 500 ppm Long-term value: 250 ppm A4, BEI	
123-	86-4 n-butyl acetate	
PEL	Long-term value: 710 mg/m³, 150 ppm	
REL	Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm	
	Short-term value: 150 ppm Long-term value: 50 ppm	
	43-0 heptan-2-one	
	Long-term value: 465 mg/m³, 100 ppm	
	Long-term value: 465 mg/m³, 100 ppm Long-term value: 50 ppm	
· Ingr	edients with biological limit values:	
67-6	4-1 acetone	
BEI	25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)	
· Add	itional information: The lists that were valid during the creation were used as bas	is.
· Pers · Gen	osure controls conal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed.	
		(Contd. on page 6)

Printing date 02/27/2024

Reviewed on 02/27/2024

Trade name: LC3030LV MS LV CLEAR

(Contd. of page 5)

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	chemical properties	
Appearance: Form:	Liquid	
Color:	Clear	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined (pH N/A in solvent coatings)	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 55.8-56.6 °C (132.4-133.9 °F)	
Flash point:	<-18 °C (<-0.4 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	370 °C (698 °F)	
Decomposition temperature:	Not determined.	

Printing date 02/27/2024

Reviewed on 02/27/2024

Trade name: LC3030LV MS LV CLEAR

	(Contd. of page
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits:	
Lower:	2.6 Vol %
Upper:	13 Vol %
Vapor pressure at 20 °C (68 °F):	233 hPa (174.8 mm Hg)
Vapor pressure at 50 °C (122 °F):	800 hPa (600 mm Hg)
Density at 20 °C (68 °F):	1.1064 g/cm³ (9.2329 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	≥29.8-<30.1 %
VOC content:	≥12.03-<12.27 %
	123.1 g/l / 1.03 lb/gal
Solids content:	29.1 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 8)

⁻ USA

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2024

Reviewed on 02/27/2024

Trade name: LC3030LV MS LV CLEAR

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: *Irritant*

· Carcinogenic categories

•	rnational Agency for Research on Cancer)	
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	2B
1330-20-7	xylene	3
100-41-4	ethylbenzene	2B
103-11-7	2-ethylhexyl acrylate	2B
108-88-3	toluene	3
•	onal Toxicology Program)	
None of the	e ingredients is listed.	
	(Occupational Safety & Health Administration)	
None of the	e ingredients is listed.	

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 9)

USA

Printing date 02/27/2024

Reviewed on 02/27/2024

Trade name: LC3030LV MS LV CLEAR

(Contd. of page 8)

· UN-Number · DOT, IMDG, IATA	UN1263
· UN proper shipping name · DOT · IMDG, IATA	Paint PAINT
Transport hazard class(es)	
DOT	
FLAMMERE LOUD	0 Elemente la line inte
· Class · Label	3 Flammable liquids 3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids 33 F-E, <u>S-E</u> B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 10)

Printing date 02/27/2024

Reviewed on 02/27/2024

Sara		(Contd. of pag
	55 (extremely hazardous substances):	
	e ingredients is listed.	
Section 3	13 (Specific toxic chemical listings):	
1330-20-7		
	ethylbenzene	
	2-phenoxyethanol	
108-88-3	· · ·	
TSCA (To	xic Substances Control Act):	
•	nents have the value ACTIVE.	
	s Air Pollutants	
1330-20-7		
	ethylbenzene	
108-88-3		
Propositi		
•	s known to cause cancer:	
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	
	ethylbenzene	
103-11-7	2-ethylhexyl acrylate	
Chemical	s known to cause reproductive toxicity for female	 es:
	e ingredients is listed.	
Chemical	s known to cause reproductive toxicity for males.	:
	e ingredients is listed.	<u>-</u>
	s known to cause developmental toxicity:	
108-88-3	<u>.</u>	
-	enic categories	
-	ironmental Protection Agency) acetone	
1330-20-7		
	ethylbenzene	
108-88-3	-	
	eshold Limit Value)	
	acetone	A
1330-20-7	ethylbenzene	/ /
	-	
108-88-3	dibutyltin dilaurate	/ /
	a (National Institute for Occupational Safety and F	1eaith)
	e ingredients is listed.	
GHS Iabe	l elements ct is classified and labeled according to the Globally .	

Printing date 02/27/2024

Reviewed on 02/27/2024

Trade name: LC3030LV MS LV CLEAR



16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Product Safety Dept.

(Contd. on page 12)

Printing date 02/27/2024

Reviewed on 02/27/2024

(Contd. of	f page 1
Date of preparation / last revision 02/27/2024	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Conce	ernina t
International Carriage of Dangerous Goods by Road)	sinning a
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent. Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Carcinogenicity 2: Carcinogenicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	