

Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/06/2018 Reviewed on 12/05/2017

## 1 Identification

· Product identifier

· Trade name: S88 ERASOL

· Article number: S88

· CAS Number:

872-50-4

· EC number:

212-828-1

· Index number:

606-021-00-7

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Lusid Technologies 5195 West 4700 South KEARNS, UT 84118

USA

www.lusid.biz

- · Information department: Product safety department
- Emergency telephone number:

24 Hrs Emergency Contact:

INFOTRAC 1-800-535-5053

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 08/06/2018 Reviewed on 12/05/2017

Trade name: S88 ERASOL

Hazard pictograms

(Contd. of page 1)





### · Signal word Danger

## Hazard-determining components of labeling:

N-methyl-2-pyrrolidone

#### · Hazard statements

Combustible liquid.

Causes skin irritation.

Causes serious eve irritation.

May damage fertility or the unborn child.

May cause respiratory irritation.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from flames and hot surfaces. - No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 1Reactivity = 0

## · HMIS-ratings (scale 0 - 4)



Health = \*2 Fire = 1Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 3)

Printing date 08/06/2018 Reviewed on 12/05/2017

Trade name: S88 ERASOL

· **vPvB:** Not applicable.

(Contd. of page 2)

## 3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

872-50-4 N-methyl-2-pyrrolidone

Identification number(s)

• EC number: 212-828-1 • Index number: 606-021-00-7

## 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Printing date 08/06/2018 Reviewed on 12/05/2017

Trade name: S88 ERASOL

(Contd. of page 3) · Protective Action Criteria for Chemicals

· PAC-1: 30 ppm

PAC-2:

32 ppm

PAC-3:

190 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

### 872-50-4 N-methyl-2-pyrrolidone

WEEL Long-term value: 10 ppm

Skin

## · Ingredients with biological limit values:

## 872-50-4 N-methyl-2-pyrrolidone

BEI 100 mg/L

Medium: urine Time: end of shift

Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

(Contd. on page 5)

Printing date 08/06/2018 Reviewed on 12/05/2017

Trade name: S88 ERASOL

(Contd. of page 4)

### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Lower:

Tightly sealed goggles

## 9 Physical and chemical properties

· Information on basic physical and · General Information	chemical properties
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Fruit-like
· Odor threshold:	Not determined.
· pH-value:	Not determined (pH N/A in solvent coatings)
<ul> <li>Change in condition         Melting point/Melting range:         Boiling point/Boiling range:</li> </ul>	-24 ℃ (-11.2 ℉) 202 ℃ (395.6 ℉)
· Flash point:	93 ℃ (199.4 ℉)
Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	270 ℃ (518 ℉)
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Not determined.
· Explosion limits:	

1.3 Vol %

(Contd. on page 6)

Printing date 08/06/2018 Reviewed on 12/05/2017

Trade name: S88 ERASOL

		(Contd. of page
Upper:	9.5 Vol %	
Vapor pressure at 20 ℃ (68 ℉):	0.3 hPa (0.2 mm Hg)	
Density at 20 ℃ (68 ℉):	1.02 g/cm³ (8.5119 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic at 20 ℃ (68 ℉):	1.65 mPas	
Kinematic:	Not determined.	
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	995.3 g/l / 8.31 lb/gal	
Solids content:	2.6 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- LD/LC50 values that are relevant for classification:

## 872-50-4 N-methyl-2-pyrrolidone

Oral LD50 3,914 mg/kg (rat)
Dermal LD50 8,000 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eve: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

(Contd. on page 7)

Printing date 08/06/2018 Reviewed on 12/05/2017

Trade name: S88 ERASOL

(Contd. of page 6)

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

## 12 Ecological information

- **Toxicity**
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information

· UN-Number

· DOT, IMDG, IATA UN1263

· UN proper shipping name

DOT Paint IMDG, IATA PAINT

- · Transport hazard class(es)
- · DOT



· Class 3 Flammable liquids

(Contd. on page 8)

Printing date 08/06/2018 Reviewed on 12/05/2017

Trade name: S88 ERASOL

(Contd. of page 7) · Label 3 · IMDG, IATA 3 Flammable liquids · Class · Label · Packing group · DOT, IMDG, IATA IIEnvironmental hazards: Not applicable. · Special precautions for user Warning: Flammable liquids Danger code (Kemler): 30 F-E,S-E · EMS Number: · Stowage Category В · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L · IMDG Limited quantities (LQ) 1L Code: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN "Model Regulation": UN 1263 PAINT, 3, II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

(Contd. on page 9)

Printing date 08/06/2018 Reviewed on 12/05/2017

Trade name: S88 ERASOL

(Contd. of page 8)

### · Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

## · Chemicals known to cause developmental toxicity:

Substance is listed.

## · Carcinogenic categories

### · EPA (Environmental Protection Agency)

Substance is not listed.

### TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

#### GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS07 GHS08

## · Signal word Danger

### · Hazard-determining components of labeling:

N-methyl-2-pyrrolidone

#### Hazard statements

Combustible liquid.

Causes skin irritation.

Causes serious eye irritation.

May damage fertility or the unborn child.

May cause respiratory irritation.

### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from flames and hot surfaces. - No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

(Contd. on page 10)

Printing date 08/06/2018 Reviewed on 12/05/2017

Trade name: S88 ERASOL

(Contd. of page 9)

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Product Safety Dept.
- · Date of preparation / last revision 08/06/2018 / 1
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

- USA