

Page 1/13

Safety Data Sheet acc. to OSHA HCS

Printing date 02/13/2023 Reviewed on 02/13/2023

1 Identification

· Product identifier

· Trade name: RCP21 RAPID CURE LV PRIMER

· Article number: RCP21

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:
 Lusid Technologies
 4725 S Camp Kearns Road
 Kearns, UT 840118

· Information department: Product safety department

Emergency telephone number: 24 Hrs Emergency Contact: INFOTRAC

2 Hazard(s) identification

· Classification of the substance or mixture



1-800-535-5053

GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Germ Cell Mutagenicity 1B H340 May cause genetic defects.

Carcinogenicity 1B H350 May cause cancer.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

(Contd. of page 1)

· Hazard pictograms







GHS07

· Signal word Danger

· Hazard-determining components of labeling:

4-chloro-alpha, alpha, alpha-trifluorotoluene

acetone

Stoddard solvent

titanium dioxide

· Hazard statements

Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause genetic defects.

May cause cancer.

May cause drowsiness or dizziness.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 3Reactivity = 0

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

· HMIS-ratings (scale 0 - 4)

*2 Health = *2 Fire = 3

FIRE 3 REACTIVITY 0 Reactivity = 0

· Other hazards

HEALTH

- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
67-64-1	acetone	25-50%
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	10-25%
	heptan-2-one	10-25%
	n-butyl acetate	2.5-10%
	Calcium carbonate	2.5-10%
13463-67-7	titanium dioxide	2.5-10%
7727-43-7	barium sulphate, natural	2.5-10%
1330-20-7		≤2.5%
8052-41-3	Stoddard solvent	≤2.5%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

(Contd. of page 3)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

67-64-1	acetone	200 ppm
110-43-0	heptan-2-one	150 ppm
123-86-4	n-butyl acetate	5 ppm
13463-67-7	titanium dioxide	30 mg/m³
7727-43-7	barium sulphate, natural	15 mg/m³
1330-20-7	xylene	130 ppm
9002-88-4	Polyethylene low density	16 mg/m³
112926-00-8	Precipitated silica (Silica-Amorphous)	18 mg/m³
8052-41-3	Stoddard solvent	300 mg/m³
77-58-7	dibutyltin dilaurate	1.1 mg/m³
100-41-4	ethylbenzene	33 ppm
14808-60-7	Quartz (SiO2)	0.075 mg/m
57-55-6	Propylene glycol	30 mg/m³
78-83-1	butanol	150 ppm
PAC-2:		
67-64-1	acetone	3200* ppm
110-43-0	heptan-2-one	670 ppm
123-86-4	n-butyl acetate	200 ppm
13463-67-7	titanium dioxide	330 mg/m³
7727-43-7	barium sulphate, natural	170 mg/m³
1330-20-7	xylene	920* ppm
9002-88-4	Polyethylene low density	170 mg/m³
112926-00-8	Precipitated silica (Silica-Amorphous)	200 mg/m³
8052-41-3	Stoddard solvent	1,800 mg/m
77-58-7	dibutyltin dilaurate	8 mg/m³
100-41-4	ethylbenzene	1100* ppm

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

14808-60-7	Quartz (SiO2)	(Contd. of page 4
	Propylene glycol	1,300 mg/m³
78-83-1	butanol	1,300 ppm
· PAC-3:		
67-64-1	acetone	5700* ppm
110-43-0	heptan-2-one	4000* ppm
123-86-4	n-butyl acetate	3000* ppm
13463-67-7	titanium dioxide	2,000 mg/m³
7727-43-7	barium sulphate, natural	990 mg/m³
1330-20-7	xylene	2500* ppm
9002-88-4	Polyethylene low density	1,000 mg/m³
112926-00-8	Precipitated silica (Silica-Amorphous)	1,200 mg/m³
8052-41-3	Stoddard solvent	29500** mg/m ³
77-58-7	dibutyltin dilaurate	48 mg/m³
100-41-4	ethylbenzene	1800* ppm
14808-60-7	Quartz (SiO2)	200 mg/m³
57-55-6	Propylene glycol	7,900 mg/m³
78-83-1	butanol	8000* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 6)

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

67.6	(Contd.	ot p
	4-1 acetone	
	Long-term value: 2400 mg/m³, 1000 ppm	
	Long-term value: 590 mg/m³, 250 ppm	
ILV	Short-term value: 500 ppm Long-term value: 250 ppm A4, BEI	
110-	43-0 heptan-2-one	
	Long-term value: 465 mg/m³, 100 ppm	
	Long-term value: 465 mg/m³, 100 ppm	
	Long-term value: 50 ppm	
	86-4 n-butyl acetate	
	Long-term value: 710 mg/m³, 150 ppm	
	Short-term value: 950 mg/m³, 200 ppm	
/_L	Long-term value: 710 mg/m³, 150 ppm	
TLV	Short-term value: 150 ppm	
	Long-term value: 50 ppm	
	-43-7 barium sulphate, natural	
PEL	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV	Long-term value: 5* mg/m³ *inhalable fraction; E	
1330)-20-7 xylene	
PEL	Long-term value: 435 mg/m³, 100 ppm	
REL	Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm	
TLV	Long-term value: 20 ppm BEI, A4	
8052	2-41-3 Stoddard solvent	
PEL	Long-term value: 2900 mg/m³, 500 ppm	
REL	Long-term value: 350 mg/m³ Ceiling limit value: 1800* mg/m³ *15-min	
TLV	Long-term value: 100 ppm	
Ingre	edients with biological limit values:	
	4-1 acetone	
BEI	25 mg/L	
	Medium: urine	
	Time: end of shift	
	Parameter: Acetone (nonspecific)	
	0-20-7 xylene	
	1.5 g/g creatinine Medium: urine	
	Time: end of shift	
	Parameter: Methylhippuric acids	

(Contd. on page 7)

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

(Contd. of page 6)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic · Odor threshold: Not determined.

• pH-value: Not determined (pH N/A in solvent coatings)

Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 55.8-56.6 °C (132.4-133.9 °F)

Flash point: -20 °C (-4 °F)

(Contd. on page 8)

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

	(Contd. of page
Flammability (solid, gaseous):	Highly flammable.
Ignition temperature:	370 °C (698 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits:	
Lower:	1 Vol %
Upper:	13 Vol %
Vapor pressure at 20 °C (68 °F):	233 hPa (174.8 mm Hg)
Density at 20 °C (68 °F):	1.4998 g/cm³ (12.5158 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	57.2 %
VOC content:	24.22 %
	207.2 g/l / 1.73 lb/gal
Solids content:	69.7 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.

(Contd. on page 9)

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

(Contd. of page 8)

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (Intern	ational Agency for Research on Cancer)		
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	2B	
13463-67-7	titanium dioxide	2B	
14807-96-6	Talc (Mg3H2(SiO3)4)	3	
1330-20-7	xylene	3	
9002-88-4	Polyethylene low density	3	
112926-00-8	Precipitated silica (Silica-Amorphous)	3	
100-41-4	ethylbenzene	2B	
14808-60-7	Quartz (SiO2)	1	
· NTP (Nation	al Toxicology Program)		
14808-60-7	14808-60-7 Quartz (SiO2) K		
· OSHA-Ca (O	ccupational Safety & Health Administration)		
None of the ii	ngredients is listed.		

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 10)

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 9)

Transport information	
UN-Number DOT, IMDG, IATA	UN1263
UN proper shipping name DOT IMDG, IATA	Paint PAINT
Transport hazard class(es)	
DOT RAMABET ICLID 3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	II .
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	<i>Warning: Flammable liquids</i> 33 <i>F-E,<u>S-E</u> B</i>
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1263 PAINT, 3, II

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

None of the ingredients is listed.

(Contd. of page 10)

Safety. hea	alth and environmental regulations/legislation specific for th	ne substance or mixture
Sara		
	5 (extremely hazardous substances):	
None of the	e ingredients is listed.	
Section 31	3 (Specific toxic chemical listings):	
7727-43-7	barium sulphate, natural	
1330-20-7	xylene	
100-41-4	ethylbenzene	
TSCA (Tox	ric Substances Control Act):	
67-64-1	acetone	ACTI
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	ACTI
110-43-0	heptan-2-one	ACTI
123-86-4	n-butyl acetate	ACTI
1317-65-3	Calcium carbonate	ACTI
13463-67-7	7 titanium dioxide	ACTI
	7 barium sulphate, natural	ACTI
	Talc (Mg3H2(SiO3)4)	ACTI
1330-20-7	•	ACTI
	Polyethylene low density	ACTI
	Stoddard solvent	ACTI
	dibutyltin dilaurate	ACTI
	thylbenzene ethylbenzene	ACTIV
	Quartz (SiO2)	ACTIV
	Propylene glycol	ACTIV
78-83-1	1 butanol	ACTIV
	s Air Pollutants	
1330-20-7	<u> </u>	
	ethylbenzene	
Propositio		
	known to cause cancer:	
	6 4-chloro-alpha,alpha,alpha-trifluorotoluene	
	7 titanium dioxide	
	4 ethylbenzene	
14808-60-7	7 Quartz (SiO2)	
	known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

(Contd. of page 11)

· Carcinogenic categories

	nic categories	
· EPA (Envi	ronmental Protection Agency)	
67-64-1	acetone	1
7727-43-7	barium sulphate, natural	D, CBD(inh), NL(oral)
1330-20-7	xylene	1
100-41-4	ethylbenzene	D
· TLV (Thre	shold Limit Value)	
67-64-1	acetone	A4
13463-67-7	titanium dioxide	A4
14807-96-6	Talc (Mg3H2(SiO3)4)	A4
1330-20-7	xylene	A4
77-58-7	dibutyltin dilaurate	A4
100-41-4	ethylbenzene	A3
14808-60-7	Quartz (SiO2)	A2
· NIOSH-Ca	(National Institute for Occupational Safety and Health)	
13463-67-7	titanium dioxide	
14808-60-7	Quartz (SiO2)	

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS02 GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

4-chloro-alpha,alpha,alpha-trifluorotoluene

acetone

Stoddard solvent

titanium dioxide

· Hazard statements

Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause genetic defects.

May cause cancer.

May cause drowsiness or dizziness.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

(Contd. on page 13)

Printing date 02/13/2023 Reviewed on 02/13/2023

Trade name: RCP21 RAPID CURE LV PRIMER

(Contd. of page 12)

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Product Safety Dept.
- Date of preparation / last revision 02/13/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Germ Cell Mutagenicity 1B: Germ cell mutagenicity - Category 1B

Carcinogenicity 1B: Carcinogenicity - Category 1B

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.